

CLAIMS

We claim:

- 1 1. A method of wirelessly providing, over the Internet, access to specialized content by a
2 user, comprising the steps of:
3 providing one or more wireless connection nodes in a receiving area;
4 delivering to said one or more connection nodes only content selected by an operator of
5 said one or more wireless connection nodes; and
6 transmitting said delivered content via said one or more connection nodes.
- 1 2. The method of claim 1, further comprising the step of:
2 receiving said transmitted delivered content with a receiver configured to receive content
3 transmitted via said one or more connection nodes.
- 1 3. The method of claim 2, wherein said transmission step comprises at least the steps of:
2 transmitting the delivered content over a single channel; and
3 subdividing the single channel so that plural content elements are provided on plural
4 stations within the single channel.
- 1 4. The method of claim 3, wherein said receiver is further configured to separately tune to
2 each of the plural stations, said transmission step further comprising at least the step of:
3 transmitting a unique spreading code for each of said plural stations; and

4 said receiving step comprising at least the steps of:

5 receiving said unique spreading codes;

6 selecting one of said plural stations to play; and

7 using said unique spreading codes to play the delivered content associated with the selected

8 one of said plural stations.

1 5. The method of claim 4, wherein said delivered content comprises only content that is
2 local to the proximity of the connection nodes.

1 6. The method of claim 4, wherein said delivered content comprises only content of a
2 particular content type.

1 7. The method of claim 4, wherein said delivered content comprises only content of a
2 particular type and that is local to the proximity of the connection nodes.

1 8. The method of claim 4, wherein said receiver is a device configured specifically for
2 reception of only said delivered content.

1 9. The method of claim 4, wherein said receiver includes uplink capability, further
2 comprising the step of:

3 sending an uplink signal from said receiver to said one or more connection nodes to enable

4 said user to communicate with said one or more connection nodes.

1 10. The method of claim 9, further comprising the step of:
2 configuring said wireless connection nodes to receive said uplink signal and, based upon
3 said signal, perform a function desired to be performed by said user.

1 11. A system for wirelessly providing, over the Internet, access to specialized content by
2 a user, comprising:
3 one or more wireless connection nodes in a receiving area, each of said one or more
4 wireless connection nodes including a transmitter; and
5 a processor, coupleable to said one or more wireless connection nodes, said processor
6 storing content and delivering to said one or more connection nodes only content selected by an
7 operator of said one or more wireless connection nodes;
8 whereby said transmitters transmit said delivered content to said receiving area.

1 12. The system of claim 11, further comprising:
2 a receiver in wireless communication with said one or more connection nodes, said receiver
3 receiving said transmitted delivered content.

1 13. The system of claim 12, wherein each of said transmitters are configured to:
2 transmit the delivered content over a single channel; and
3 subdivide the single channel so that plural content elements are provided on plural stations
4 within the single channel.

1 14. The method of claim 13, wherein said receiver is further configured to separately tune
2 to each of the plural stations, said transmitter further configured to transmit a unique spreading
3 code for each of said plural stations; said receiver:

4 receiving said unique spreading codes;

5 selecting one of said plural stations to play; and

6 using said unique spreading codes to play the delivered content associated with the selected
7 one of said plural stations.

1 15. The system of claim 14, wherein said delivered content comprises only content that is
2 local to the proximity of the connection nodes.

1 16. The system of claim 14, wherein said delivered content comprises only content of a
2 particular content type.

1 17. The system of claim 14, wherein said delivered content comprises only content of a
2 particular type and that is local to the proximity of the connection nodes.

1 18. The system of claim 14, wherein said receiver is a device configured specifically for
2 reception of only said delivered content.

1 19. The system of claim 14, wherein said receiver includes uplink capability and further
2 comprises:

3 an uplink transmission control means for sending an uplink signal from said receiver to
4 said one or more connection nodes to enable said user to communicate with said one or more
5 connection nodes.

1 20. The system of claim 19, wherein said wireless connection nodes are configured to
2 receive said uplink signal and, based upon said signal, perform a function desired to be performed
3 by said user.